Author Index

Adachi, K.
——, Saitoh, K. and Suzuki, N.
Reversed-phase high-performance thin-layer chromatography and column liquid chromatography of metal complexes of pheophorbide *a* 99
Anspach, B.
——, Unger, K. K., Davies, J. and Hearn, M. T. W.
Affinity chromatography with triazine dyes immobilized onto activated non-porous monodisperse silicas 195
Aoki, N., see Hamano, T. 403
Aue, W. A., see Tang, Y.-Z. 149
Baldessarini, R. J., see Trainor, T. M. 257
Berezkina, L. G.
—— and Souhodolova, V. I.
Chromatographic method for studying the hygroscopic qualities of solids 159
Bier, M., see Sloan, J. E. 137
Björkholm, E.
——, Hultman, A. and Rudling, J.
Determination of chlorine and chlorine dioxide in workplace air by impinger collection and ion-chromatographic analysis 409
Bushway, R. J.
High-performance liquid chromatographic determination of carbaryl in fruit juices 437
Buydens, L., see De Smet, M. 25
Caccamese, S.
Retention behaviour of diastereomeric truxillic and truxinic diamides and separation of an enantiomeric pair in high-performance liquid chromatography 366
Capone, W.
——, Mascia, C., Melis, M. and Spanedda, L.
Determination of terpenic compounds in the essential oil from *Satureja thymbra* L. growing in Sardinia 427
Ceva, P., see Pietta, P. 442
Chackma, A.
—— and Meisen, A.
Identification of methyl diethanolamine degradation products by gas chromatography and gas chromatography–mass spectrometry 287
Chan, K. C.
—— and Yeung, E. S.
Peak identification of amino acids in liquid chromatography by optical activity detection 421
Chawla, R. P., see Singh, P. P. 387
Davies, J., see Anspach, B. 195
De Smet, M.
——, Peeters, A., Buydens, L. and Massart, D. L.
Expert system for the selection of high-performance liquid chromatographic methods in pharmaceutical analysis. Validation of the rules for the selection of the mobile phase 25
Dorsey, J. G., see Michels, J. J. 85
Fernández-Sánchez, E.
——, Fernández-Torres, A., García-Domínguez, J. A., Santiuste, J. M. and Pertierra-Rimada, E.
Solubility parameters of gas chromatographic mixed stationary phases 55
Fernández-Torres, A., see Fernández-Sánchez, E. 55
García-Domínguez, J. A., see Fernández-Sánchez, E. 55
Gasparrini, F.
——, Misiti, D., Villani, C., La Torre, F. and Sinibaldi, M.
High-performance liquid chromatography on chiral packed microbore column with the 3,5-dinitrobenzoyl derivative of *trans*-1,2-diaminocyclohexane as selector 235
Głód, B. K.
——, Piasecki, A. and Stafiej, J.
Numerical simulation of column performance in ion-exclusion chromatography 43
Goward, C. R.
——, Stevens, G. B., Hammond, P. M. and Scawen, M. D.
Large-scale purification of the chromosomal β-lactamase from *Enterobacter cloacae* P99 317
Grob, R. L., see Loeper, J. M. 247
Guiochon, G., see Schudel, J. V. H. 1
Gupta, D., see Verma, K. K. 345
Gustavsson, J., see Johansson, B.-L. 205
Haas, J. W., III,
——, Joyce, W. F., Shyu, Y.-J. and Uden, P. C.
Phosphoric acid-modified amino bonded stationary phase for high-performance liquid chromatographic chemical class separation 215
Hamano, T.
——, Mitsuhashi, Y., Aoki, N., Yamamoto, S. and Oji, Y.
Simultaneous determination of niacin and niacinamide in meats by high-performance liquid chromatography 403
Hammond, P. M., see Goward, C. R. 317
Hearn, M. T. W., see Anspach, B. 195

Hirayama, N.
—— and Kuwamoto, T.
Non-suppressed ion chromatography of arsenic anions using sodium nitrite solutions as eluents 415
Hjertén, S., see Liao, J.-L. 175
—— and Liao, J.-L.
High-performance liquid chromatography of proteins on compressed, non-porous agarose beads. I. Hydrophobic-interaction chromatography 165
Horna, A.
Industrial applications of chromatography. I. Determination of methanol, *n*-butanol and toluene by direct aqueous injection gas chromatography 372
Hostettmann, K., see Slacanin, I. 325
Hultman, A., see Björkholm, E. 409
Hung, T. K., see Rösch, F. 362
Ikai, Y.
——, Oka, H., Kawamura, N. and Yamada, M.
Simultaneous determination of nine food additives using high-performance liquid chromatography 333
Ito, Y.
—— and Oka, H.
Horizontal flow-through coil planet centrifuge equipped with a set of multilayer coils around the column holder. Counter-current chromatography of proteins with a polymer-phase system 393
Jain, A., see Verma, K. K. 345
Johansson, B.-L.
—— and Gustavsson, J.
Elution behaviour of some proteins on fresh, acid- or base-treated Sephacryl S-200 HR 205
Joyce, W. F., see Haas, J. W., III 215
Khalkin, V. A., see Rösch, F. 362
Kawamura, N., see Ikai, Y. 333
Kern, J. R.
——, Lokensgard, D. M. and Yang, T.
Chromatographic separation of the diastereomers of a dihydropyridine-type calcium channel antagonist as the bis-3,5-dinitrobenzoates 309
Koizumi, H.
—— and Suzuki, Y.
High-performance liquid chromatography of aliphatic aldehydes by means of post-column extraction with fluorometric detection 299
Krajewska, A. M.
—— and Powers, J. J.
Pentafluorobenzylation of capsaicinoids for gas chromatography with electron-capture detection 279
Kula, N. S., see Trainor, T. M. 257
Kuwamoto, T., see Hirayama, N. 415
Lampen, P., see Trainor, T. M. 257
La Torre, C., see Gasparrini, F. 235
Lee, H.-B.
Perfluoro and chloro amide derivatives of aniline and chloroanilines. A comparison of their formation and gas chromatographic determination by mass selective and electron-capture detectors 267
Liao, J.-L., see Hjertén, S. 165
—— and Hjertén, S.
High-performance liquid chromatography of proteins on compressed, non-porous agarose beads. II. Anion-exchange chromatography 175
Loeper, J. M.
—— and Grob, R. L.
Indirect method for the determination of water using headspace gas chromatography 247
Lokensgard, D. M., see Kern, J. R. 309
MacCrehan, W. A.
—— and Shea, D.
Separation of hydrophilic thiols using reversed-phase chromatography with trihaloacetate buffers 111
Mali, B. D.
—— and Parulekar, P. P.
Diazotized dapsone as a reagent for the detection of cannabinoids on thin-layer chromatographic plates 383
Manera, E., see Pietta, P. 442
Marston, A., see Slacanin, I. 325
Mascia, C., see Capone, W. 427
Massart, D. L., see De Smet, M. 25
Mauri, P., see Pietta, P. 442
Meisen, A., see Chackma, A. 287
Melis, M., see Capone, W. 427
Michels, J. J.
—— and Dorsey, J. G.
Retention in reversed-phase liquid chromatography: solvatochromic investigation of homologous alcohol–water binary mobile phases 85
Milanov, M., see Rösch, F. 362
Misiti, D., see Gasparrini, F. 235
Mitsuhashi, Y., see Hamano, T. 403
Miwa, T.
——, Miyakawa, T. and Miyake, Y.
Characteristics of an avidin-conjugated column in direct liquid chromatographic resolution of racemic compounds 227
Miyakawa, T., see Miwa, T. 227
Miyake, Y., see Miwa, T. 227
Moutounet, M., see Puech, J.-L. 431

Nehmer, U.
Separation of *cis–cis*, *cis–trans* and *trans–trans* isomers of (±)-atracurium besylate and *cis* and *trans* isomers of its major quaternary decomposition products and related impurity by reversed-phase high-performance liquid chromatography 127
Neumeyer, J. L., see Trainor, T. M. 257
Obretenova, R., see Pekov, G. 377
Oji, Y., see Hamano, T. 403
Oka, H., see Ikai, Y. 333
—— see Ito, Y. 393
Olde, B., see Persson, L.-O. 183
Pacáková, V., see Wang, H. 398
Parulekar, P. P., see Mali, B. D. 383
Peeters, A., see De Smet, M. 25
Pekov, G.
——, Petsev, N. and Obretenova, R.
Study of the adsorption of methyl red on thermally treated gas–liquid chromatographic packings 377
Persson, L.-O.
—— and Olde, B.
Synthesis of ATP–polyethylene glycol and ATP–dextran and their use in the purification of phosphoglycerate kinase from spinach chloroplasts using affinity partitioning 183
Pertierra-Rimada, E., see Fernández-Sánchez, E. 55
Petsev, N., see Pekov, G. 377
Piasecki, A., see Głód, B. K. 43
Pietta, P.
——, Mauri, P., Manera, E. and Ceva, P.
Determination of isoquinoline alkaloids from *Peumus boldus* by high-performance liquid chromatography 442
Powers, J. J., see Krajewska, A. M. 279
Puech, J.-L.
——, Rabier, P. and Moutounet, M.
Preparative separation by high-performance liquid chromatography of an extract of oak wood and determination of the composition of each fraction 431
Rabier, P., see Puech, J.-L. 431
Ren, Y.
—— and Zhu, P.
Application of inverse gas chromatography to solid propellants 354
Rösch, F.
——, Hung, T. K., Milanov, M. and Khalkin, V. A.
Electromigration of carrier-free radionuclides. IX. Protolysis of [^{131}I]iodate in aqueous solutions 362
Rudling, J., see Björkholm, E. 409
Saitoh, K., see Adachi, K. 99
Sanghi, S. K., see Verma, K. K. 345
Santiuste, J. M., see Fernández-Sánchez, E. 55
Scawen, M. D., see Goward, C. R. 317
Schudel, J. V. H.
—— and Guiochon, G.
Effect of random noise and peak asymmetry on the precision and accuracy of measurements of the column efficiency in chromatography 1
Shea, D., see MacCrehan, W. A. 111
Shyu, Y.-J., see Haas, J. W., III 215
Singh, P. P.
—— and Chawla, R. P.
Comparison of sulphuric acid treatment and column chromatographic clean-up procedures for the gas chromatographic determination of organochlorine compounds in some food commodities 387
Sinibaldi, M., see Gasparrini, F. 235
Slacanin, I.
——, Vargas, D., Marston, A. and Hostettmann, K.
Determination of molluscicidal sesquiterpene lactones from *Ambrosia maritima* (Compositae) 325
Sloan, J. E.
——, Thormann, W., Twitty, G. E. and Bier, M.
Automated recycling free fluid isotachophoresis. Principle, instrumentation and first results 137
Smet, M. De, see De Smet, M. 25
Souhodolova, V. I., see Berezkina, L. G. 159
Spanedda, L., see Capone, W. 427
Stafiej, J., see Głód, B. K. 43
Stevens, G. B., see Goward, C. R. 317
Štulík, K., see Wang, H. 398
Suzuki, N., see Adachi, K. 99
Suzuki, Y., see Koizumi, H. 299
Tang, Y.-Z.
—— and Aue, W. A.
Photometric and electron-capture modes in a dual-channel sensor 149
Thormann, W., see Sloan, J. E. 137
Torre, C. La, see Gasparrini, F. 235
Trainor, T. M.
——, Vouros, P., Lampen, P., Neumeyer, J. L., Baldessarini, R. J. and Kula, N. S.
Determination of N-*n*-propylnorapomorphine in serum and brain tissue by gas chromatography–negative ion chemical ionization mass spectrometry 257
Twitty, G. E., see Sloan, J. E. 137
Uden, P. C., see Haas, J. W., III 215
Unger, K. K., see Anspach, B. 195
Vargas, D., see Slacanin, I. 325

Verma, K. K.
——, Sanghi, S. K., Jain, A. and Gupta, D.
Liquid chromatographic determination of bromide after pre-column derivatization to 4-bromoacetanilide 345
Villani, C., see Gasparrini, F. 235
Voelkel, A.
Influence of experimental conditions upon polarity parameters as measured by gas chromatography 73
Vouros, P., see Trainor, T. M. 257
Wang, H.
——, Pacáková, V. and Štulík, K.
Determination of ethylenethiourea in beverages without sample pretreatment using high-performance liquid chromatography and amperometric detection on a copper electrode 398
Yamada, M., see Ikai, Y. 333
Yamamoto, S., see Hamano, T. 403
Yang, T., see Kern, J. R. 309
Yeung, E. S., see Chan, K. C. 421
Yon, R. J.
Co-operative cluster model for multivalent affinity interactions involving rigid matrices 13
Zhu, P., see Ren, Y. 354